

More than a Contract Research Organisation:

YOUR CLINICAL PARTNER FROM TRIAL CONCEPT TO COMPLETION


Our locations






Tour of facilities - Cork





Tour of facilities - Chicago















Sample preparation Lab

Our expertise areas









The clinical trial process









Sample App





Sample App - WURST Questionnaire





Sample App - Bristol Stool Chart









Digestive symptoms - complete in the evening (e.g. bedtime) and score for symptoms throughout the day
Abdominal pain
No symptom Vary Mid Mid Mederate Severe
Abdominal discomfort
No symptom Very Mild Mild Moderate Severe
Bloating
No symptom Very Mild Mild Moderate Severe
Flatulance (gas/wind)
No symptom Very Mild Mild Moderate Severe
PREVIOUS NEXT




Specialised Technologies





Video Capsule Endoscopy (VCE)



Radio Opaque markers (WGTT)



Continuous Glucose Monitoring



Cognitive test batteries, sleep and mood



Sports Performance lab: VO2 max, sub optimal



Skin technology: the Cornometer, Tewameter and Visiometer



Flow Mediated Dilation technology and trained sonographers, and image specialists



DXA Scans, MRI/X-ray

What happens next?



Sign NDA – Gather further information on project outcomes via template docs.

Detailed design and cost proposal (Usually several versions)

Contract, Data Processing Agreement (DPA)& Insurance

Introduction to Scientific/Operations team – develop protocol, Ethics submission, project set-up & training, eCRF development, advertising & recruiting

Clinical Study Expertise



Gastrointestinal health

- •Digestive discomfort, Constipation, Bloating, Diarrhoea, Dysphagia, IBS, GERD
- •Whole Gut Transit Time: Abdominal scans, Gut microbiota composition, Gut permeability
- •Video Capsule Endoscopy (VCE)

Mental and cognitive health

•Psychological stress, mood, cognition, memory, concentration, attention, Sleep

Cardiovascular/Metabolic health

•Blood pressure (ABPM), Flow Mediated Dilation (FMD), Blood Lipids, Dietary analysis, Hyperglycaemia, Weight loss (DXA/Bioimpedance), Post-prandial glycaemic/insulin response, Fasting Blood Glucose, HbA1c, Insulin Sensitivity/Resistance, Pre- Diabetes, CGM, Satiety

Healthy aging

•Sarcopenia, bone health, joint health, osteoarthritis, strength, endurance, mobility, neurodegeneration, cognitive decline

Liver Function

•Non-Alcoholic Fatty Liver Disease(NAFLD) and Non-alcoholic steatohepatitis (NASH)

atlantiaclinicaltrials.com

Sports performance

• Muscle mass (DXA), Resistance training, Endurance, Strength, Biodex, Pain, Stiffness

Nutritional health

• Nutrient uptake e.g. protein/amino acid uptake, iron uptake, fatty acid levels (e.g. DHA), vitamin and mineral status

Immune and inflammatory health

• Allergy, Immune/inflammatory response, IBD, Osteoarthritis, Rhinitis, Upper Respiratory Tract Infection (URTI)

Infections

• Urinary tract infection (UTI), Upper Respiratory Tract Infections (URTI), *H pylori, Antibiotic Associated Diarrhoea* (AAD)

Oral health/oral microbiota

• Dental caries, plaque, tooth mineralisation, Halitosis

Skin Health

 Trans epidermal water loss (TEWL), Fatty acid analysis, Skin Hydration, Skin Elasticity, Wrinkle volume, Sensitivity

Why Atlantia?



- Expertise & proven track record
- ✓ ICH GCP standard trials
- One company, with multi-centre capability
- Commitment to delivery on time and on budget
- ✓ Flexible in our approach
- Offer end to end solutions for the entire clinical study process
- O Data Integrity, Traceability and Accessibility
- atlantiaclinicaltrials.com

Get in touch!

Barry Skillington

Chief Commercial Officer bskillington@atlantiatrials.com Tel: +353 86 818 1543

atlantía clinical trials

Shauna Cusack Sales Executive scusack@atlantiatrials.com Tel: +353 87 922 0160

Andrea Doolan

Chief Executive Officer adoolan@atlantiatrials.com Tel: +353 87 659 7199

Some clinical indications and its measurements in clinical trials

Bone & Joint Health



	INDICATION	MEASUREMENT
Objective	Physical performance & functional capacity	Hand grip strength (sarcopenia), knee extension & flexion measured by goniometry
	Bone mass and bone mineral density (BMD)	Dual-emission X-ray absorptiometry (DEXA); osteoarthritis: X-RAY & Kellgren-Lawrence Gradient Scale
	Inflammatory markers	Interleukins (IL) -1B1, erythrocyte sedimentation rate (ESR), hsCRP, serum osteocalcin, serum hyaluronic acid (HA), serum keratin sulphate, transforming growth factor beta (TGF-B)
Subjective	Osteoarthritis: knee & joint pain, stiffness, symptoms, sport, recreation & physical function	Bristol Stool Scale, Gastrointestinal Symptom Rating Scale (GSRS), IBS Severity Scoring System (IBS- SSS)
	Pain Intensity	Visual Analogue Scale (VAS); Numeric Rating Scale (NRS); Verbal Descriptive Scale (VDS); McGill Pain Questionnaire
	Physical Performance & functional capacity	Short Physical Performance Battery (SPPB)
	Quality of Life	Short Form (SF) 36 questionnaire; daily or weekly We-diary
	Dietary Analysis	FFQ, 24 hour recall, 3 day diary

Microbiome Health



MEASUREMENT

Shotgun Metagenomic Sequencing, De Novo Sequencing of Genomes, Flow Cytometry & Fluorescence Activated Cell Sorting (FACS), 16S rRNA sequencing

Metabolomics / Lipidomics, Proteomics, Fatty Acid / Bile Acid Analysis, Transcriptomics, Functional Genomics

Standard & Custom Library Generation, PCR

Dietary Analysis: FFQ, 24 hour recall, 3 day diary

Cardiovascular Health



	INDICATION	MEASUREMENT
Objective	Physical performance & functional capacity	Exercise / daily activity log; Strength / endurance testing
	Abnormal Body Fat Distribution	Body composition: DEXA; Adipose tissues biomarkers: leptin, adiponectin; Central fat: CT/MRI; Liver fat content: MRS; Weight Management: Dietician
	Insulin Resistance	Elevated fasting glucose: oral glucose tolerance test (OGTT); postprandial insulin; Elevated free fatty acids; Homeostatic Model Assessment of Insulin Resistance (HOMA-IR)
	Hormonal Factors	Leptin, ghrelin, cholecystokinin plasma, glucagon-like peptide (GLP) -1 growth hormones, cortisol
	Vascular Dysregulation	Systolic/diastolic blood pressure (BP); Ambulatory BP; Endothelial function: flow mediated dilation (FMD); ACE inhibitors
	Thrombosis	Fibrinolytic factors (Plasmalogen Activating Inhibitor (PAI) -1); Clotting factors (fibrinogen)
	Atherogenic dyslipidaemia	Cholesterol: total, LDL, HDL; Apolipoprotein A1 & B, Omega 3 fatty acids EPA/DHA, conjugated linoleic acid
Subjective	Appetite profile	Visual analogue scale (VAS)diary
	Dietary Analysis	FFQ, 24 hour recall, 3 day diary

Healthy Ageing



	INDICATION	MEASUREMENT
Objective	Cardiovascular function	Function: oesophageal pH metre, faecal weight and consistency; Transit time: radiopaque pellets; Permeability: lactulose-mannitol tracer test; Motility: gastric scintigraphy; VCE-Video Camera Endoscopy
	Gastrointestinal function	GI transit; bowel function; dysphagia; microbiome diversity
	Physical Activity & performance	Hand grip strength; chair stand test; walking test; agility (chair seat and reach); 2 minute step test
	Biometric & Anthropometric measurements	% lean muscle, bone density, DEXA scan; Measurements: resting heart rate, weight, muscle circumference
	Biological Sample indicators	Plasma essential and non-essential amino acids, total Protein, albumin, serum and urinary urea; serum iron, transferrin saturation, iron binding capacity, ferritin levels; plasma and salivary cortisol, IgA, tryptophan, creatinine; glucose; serum triglyceride; omega-3 fatty acids; oxidative stress measurements
Subjective	GI function	Bristol Stool Scale, Gastrointestinal Symptom Rating Scale (GSRS), IBS Severity Scoring System (IBS-SSS)
	Well-being	Health Status Questionnaire (HSQ), Short Form Health Survey (SF)
	Dietary Analysis	FFQ, 24 hour recall, 3 day diary

Immune Health



	INDICATION	MEASUREMENT
Objective	Flow Cytometry	Cytokines: Interferons (IFN) e.g. IFN-g, Interleukins (IL) e.g. IL-1B, IL-6, IL-10, Tumour Necrosis Factors (TNF)
	Next Generation Sequencing	Granulocytes: Neutrophils, Basophils, Eosinophils
	PCR	Glucocorticoid: cortisol; Immunoglobulins (Ig) e.g. IgA, IgE
	Multiplexed Immunoassay	Shotgun sequencing, functional genomics, metabolomics, transcriptomics
	ELISA	High-sensitivity C-reactive protein (hsCRP)
	Single Cell Analysis e.g. Proteomics	Monocytes / Macrophages
Subjective	Dietary Analysis	FFQ, 24 hour recall, 3 day diary





	INDICATION	MEASUREMENT
Objective	Physical performance & functional capacity	Exercise / daily activity log; Strength / endurance testing
	Abnormal Body Fat Distribution	Body composition: DEXA or Tanita anthropometric measurements (waist circumference, calliper skin fold thickness, body composition analyser (bioimpedance); Adipose tissues biomarkers: leptin, adiponectin; Central fat: CT/MRI; Liver fat content: MRS; Weight Management: Dietician
	Insulin Resistance	Elevated fasting glucose: oral glucose tolerance test (OGTT); postprandial insulin; Elevated free fatty acids; (HOMA-IR)
	Hormonal Factors	Leptin, ghrelin, cholecystokinin plasma, glucagon-like peptide (GLP) -1 growth hormones, cortisol
	Vascular Dysregulation	Systolic/diastolic blood pressure (BP); Ambulatory BP; Endothelial function: flow mediated dilation (FMD); ACE inhibitors
	Inflammation	High sensitivity C-reactive protein (hsCRP); Cytokines: TNF alpha, interleukin-6; Bradykinin;
	Thrombosis	Fibrinolytic factors (Plasmalogen Activating Inhibitor (PAI) -1); Clotting factors (fibrinogen)
	Atherogenic dyslipidaemia	Cholesterol: total, LDL, HDL; Apolipoprotein A1 & B, Omega 3 fatty acids EPA/DHA, conjugated linoleic acid
Subjective	Appetite profile	Visual analogue scale (VAS)diary
	Dietary Analysis	FFQ, 24 hour recall, 3 day diary

Microbiome Health



MEASUREMENT

Shotgun Metagenomic Sequencing, De Novo Sequencing of Genomes, Flow Cytometry & Fluorescence Activated Cell Sorting (FACS), 16S rRNA sequencing

Metabolomics / Lipidomics, Proteomics, Fatty Acid / Bile Acid Analysis, Transcriptomics, Functional Genomics

Standard & Custom Library Generation, PCR

Dietary Analysis: FFQ, 24 hour recall, 3 day diary

Nutritional Health



	INDICATION	MEASUREMENT
Objective	Cardiovascular & Metabolic Health	Blood Pressure (BP); Ambulatory BP; Endothelial function e.g. flow-mediated dilation (FMD); Inflammatory biomarkers: interleukine-6, C-reactive protein; blood cholesterol: total, LDL, HDL
	Physical Activity & performance	Aerobic capacity/VO2 max, muscle mass / strength
	Body composition measurements	% lean muscle, bone density, using DEXA scan; Biometric & Anthropometric Measurements: resting heart rate, weight, muscle circumference
	Nutrient Analysis	Plasma essential and non-essential amino acid; plasma ketones; plasma creatine and urinary nitrogen; plasma glucose, insulin, serum triglycerides, serum and urinary urea, urinary ammonia, serum and urinary protein levels, metabolomics, lipidomics, proteomics
Subjective	Physical performance	International Physical Activity Questionnaire (IPAQ)
	Well-being	WHO 5 well being index
	Dietary Analysis	FFQ, 24 hour recall, 3 day diary

Physical Activity & Sports Health



	INDICATION	MEASUREMENT
Objective	Cardiorespiratory capacity & Fitness	Cardiopulmonary Exercise Testing (CPET), respiratory oxygen uptake (VO2), carbon dioxide production (VCO2), maximal aerobic capacity (VO2max), anaerobic threshold, fat and carbohydrate metabolism, energy cost of exercise, resting metabolic rate can be assessed
	Lung Function	Pulmonary Function Tests (PFT) peak expiratory flow (PEF), forced vital capacity (FVP) and forced expiratory volume (FEV) using a spirometer
	Physical Activity & Physical Performance	Jumping height, 1 repetition maximum weight lift (1RM), timed get up and go, chair stand 6 min walking test, stair climb power test, gait speed, flexibility and range of motion, economy of motion, muscle fatigue, acceleration (accelerometer)
	Body composition measurements	% lean muscle, bone density, using DEXA scan; Biometric & Anthropometric Measurements: resting heart rate, weight, muscle circumference
	Muscle strength & endurance	Biodex Isokinetic Test measures isokinetic (both eccentric and concentric) function and isometric strength on major muscle groups, handgrip strength (arm curl with hand weight); Endurance Capacity: lactate threshold, multi-sprint endurance
Subjective	Physical performance	International Physical Activity Questionnaire (IPAQ)
	Well-being	Health Status Questionnaire (HSQ), Short Form Health Survey (SF)
	Dietary Analysis	FFQ, 24 hour recall, 3 day diary

Skin Health



	INDICATION	MEASUREMENT
Objective	Epidermal Hydration	Cornometer; Skin surface pH: Skin pH Meter; Transepidermal Water Loss (TEWL): Tewameter; Erytherma & Melanin: Mexameter; Skin topography (wrinkle area & depth): Visiometer: Skin firmness/elasticity: Cutometer; Minimal Erytherma Dose (MED):Durham Erytherma Tester
	Profiling of skin microbiota and lipids	Sequencing, Transcriptomics, Functional Genomics, Flow Cytometry, PCR, Lipidomics
Subjective	Measure of pruritis	5-Dimension (Degree, Duration, Direction, Disability & Distribution) Itch Scale
	Skin dryness & presence of skin tears	Overall Dry Skin (Xerosis) Score (ODS); Skin Tear Audit Research (STAR) classification system
	Well-being	WHO-Five Well-being Index (WHO-5)
	Self-assessment of sleep quality	Richards-Campbell Sleep Questionnaire (RCSQ)
	Dietary Analysis	FFQ, 3 day diary

Stress & Cognitive Health



	INDICATION	MEASUREMENT
Objective	Changes in biological stress indicators	Salivary and plasma cortisol; IgA; tryptophan; heart rate
Subjective	Cognitive Function	Standardised cognitive test battery e.g. Cogstate, CANTAB; mini-mental state examination (MMSE)
	Cognitive development in children	Age specific neurodevelopment tests
	Anxiety & Depression	Hamilton Anxiety Rating Scale (HAM-A); Beck depression inventory; Hamilton Depression Rating Scale (HAM-D); Trier social stress test (TSST)
	Dietary Analysis	FFQ, 24 hour recall, 3 day diary





INDICATION	MEASUREMENT
Cardiovascular health	Blood Pressure (BP); Ambulatory BP; Endothelial function e.g. flow-mediated dilation (FMD)
Gastrointestinal health	GI transit; bowel function; microbiome diversity
Physical Activity & performance	Aerobic capacity/VO2 max; muscle max/strength
Body Composition measurements	% lean muscle, bone density, DEXA scan; Measurements: resting heart rate, weight, muscle circumference
Vaginal infections (VI) follow up	Amsel's criteria and Nugent scoring system used as diagnostic method and primary outcomes evaluation, reduction in episodes of VI (compared to placebo), Severity of VI symptoms , Duration of VI symptoms, Microbiological profiling (Vaginal Microbiome)
Biological Sample indicators	Inflammatory biomarkers; plasma essential and non-essential amino acids, total protein, albumin, serum and urinary urea; plasma and salivary cortisol, IgA, tryptophan (stress indicators), creatinine; glucose; serum triglyceride; omega-3 fatty acids; oxidative stress measurements
GI health	Gastrointestinal Symptom Rating Scale (GSRS)
Physical Activity	International Physical Activity Questionnaire (IPAQ)
Anxiety & Sleep Quality	Hamilton Anxiety Rating Scale (HAM-A)
Well-being	Health Status Questionnaire (HSQ), Short Form Health Survey (SF)
Dietary Analysis	FFQ, 24 hour recall, 3 day diary
	Cardiovascular health Gastrointestinal health Physical Activity & performance Body Composition measurements Vaginal infections (VI) follow up Biological Sample indicators GI health Physical Activity Anxiety & Sleep Quality Well-being

Get in touch!

Barry Skillington

Chief Commercial Officer bskillington@atlantiatrials.com Tel: +353 86 818 1543

atlantía clinical trials

Shauna Cusack Sales Executive scusack@atlantiatrials.com Tel: +353 87 922 0160

Andrea Doolan

Chief Executive Officer adoolan@atlantiatrials.com Tel: +353 87 659 7199